

GEL GLOSS PRODUCTS

GEL-GLOSS

Retail Friendly Size



- Combines the most powerful non-abrasive cleaning agents with the most effective Carnauba Waxes to produce the highest surface luster possible
- Removes surface scratches and oxidation while providing a long lasting protective finish. Excellent for sinks, basins, countertops, tubs, spas, RV's, boats, shower doors, stainless steel and porcelain
- Recommended for cleaning and maintenance of gel-coated surfaces

PART#	SIZE FORMAT
31308	8 oz Squeeze Bottle
3129	2 oz Squeeze Bottle

GEL-GLOSS ORIGINAL FORMAT



- Gel Gloss in 16 oz can or 12 oz aerosol

PART#	SIZE FORMAT
3130	16 oz Can
3131	12 oz Aerosol Spray

FAUCET BRITE



- For use on Decorator Bath Fixtures
- Use with confidence on Decorative bath fixtures, Chrome and Painted surfaces
- Faucet Brite cleans and seals, leaving behind a protective coating that resists tarnishing and improves water repellence
- This is a specially formulated utilizing polymer resin technology to enhance the beauty and protect the surface of coated fixtures

PART #	SIZE FORMAT
3127	2 oz Squeeze Bottle
31288	8 oz Bottle

GEL GLOSS DISPLAYS



- Great for impulse sales at your counter or store

PART#	SIZE
31310	2 oz Squeeze Bottle 18 pcs Gel Gloss, 9 pcs Faucet Brite Polisher 9 pcs No Streak Glass Cleaner
31315	8 oz Bottles 12 pcs Gel Gloss, 6 pcs Faucet Brite Polisher 6 pcs No Streak Glass Cleaner

SEALANTS, SAFETY & SHOP SUPPLIES**NOSTREEK**

- Amazing NoStreak Glass Polish cleans and polishes in one convenient, easy application - keeping the promise that ordinary spray cleaners cannot.
- Use NoStreak for superior finishes on all glass, chrome and metal surfaces
- Fantastic on mirrors, too! A true professional grade polish, NoStreak cleans cleaner and shines better - and works harder on hard water spots
- IT WORKS...EVEN IN DIRECT SUNLIGHT!

PART #	SIZE FORMAT
3133	2 oz Squeeze Bottle
3138	8 oz Bottle

POWER FITTING BRUSH

- Carbon Steel - Single Spiral / Single Stem
- Power fitting brush with hex shaft. Hex locks into all standard and quick lock type chucks for easy change over.

PART #	SIZE
5134	1/2"
5135	3/4"
5136	1"

MASTER CLEAN - DOUBLE SPIRAL / DOUBLE STEM

- Double spiral tempered steel wire brush with heavy duty stem and 3/8" male pipe thread.
- Double Spiral/Double Stem (4 wires)
- Brush bristles are twisted between four stem wires with two layers of bristles.
- Each layer is perpendicular to the other with a single stem wire in each quadrant.

PART #	SIZE
43401	Round - 8"
43405	Square - 8"



SEALANTS, SAFETY & SHOP SUPPLIES

PREMIUM BRUSH - SINGLE SPIRAL / DOUBLE STEM



- Single spiral polypropylene bristle brush with heavy duty stem and 3/8" male pipe thread.
- Single Spiral/Double Stem (4 wires)
- Brush bristles are twisted between four stem wires with two stem wires on each side

PART #	TYPE	SIZE
43391	Round	6"
43392	Round	7"
43393	Round	8"
43394	Square	7"
43395	Square	8"



**FIBRE FILLED FURNACE & BOILER BRUSHES
SINGLE SPIRAL / SINGLE STEM**



- Extra heavy fill, 6" long brush part with wooden handle.
- Single Spiral / Single Stem (2 wires)
- Brush bristles are twisted between two stem wires with a single wire on each side.

PART #	BRUSH SIZE
43370	2" x 27"
43371	3" x 27"
43372	2" x 42"
43373	3" x 42"



FLUE BRUSHES

MASTER CLEAN - DOUBLE SPIRAL / DOUBLE STEM



- 4-1/2" long Spring Grade tempered wire brush part, 1/4" male pipe thread.
- Double Spiral/Double Stem (4 wires)
- Brush bristles are twisted between four stem wires with two layers of bristles.
- Each layer is perpendicular to the other with a single stem wire in each quadrant.

PART#	FLUE SIZE	BRUSH DIAMETER
43306	1"	3/4"
43308	1-1/4"	1"
43312	1-1/2"	1-1/4"
43314	1-3/4"	1-1/2"
43316	2"	1-3/4"
43326	3"	2-3/4"
43336	4"	3-3/4"



PREMIUM BRUSH - SINGLE SPIRAL / DOUBLE STEM



- 4-1/2" long Spring Grade tempered wire brush part, 1/4" male pipe thread.
- Other sizes are available, please call. Brushes are also available in stainless steel.
- Single Spiral/Double Stem (4 wires)
- Brush bristles are twisted between four stem wires with two stem wires on each side.

PART #	FLUE SIZE	BRUSH DIAMETER
43206	1"	3/4"
43208	1-1/4"	1"
43212	1-1/2"	1-1/4"
43214	1-3/4"	1-1/2"
43216	2"	1-3/4"
43226	3"	2-3/4"
43236	4"	3-3/4"



FLUE BRUSHES

BRUSH RODS & HANDLES



Loop Steel Handle



Steel Extension Rod



Fiberglass Rod

- For brushes we offer both handles and extensions in Steel & Fiberglass to complete your requirements

PART#	FLUE SIZE	BRUSH DIAMETER
43375	48"	Loop Steel Handle - Female 1/4" IPS End
43376	72"	Loop Steel Handle - Female 1/4" IPS End
43377	48"	Steel Extension Rod - Male x Female 1/4" IPS
43378	72"	Steel Extension Rod - Male x Female 1/4" IPS
43384		T-Handle 1/4" IPS
43380	48"	Fiberglass Rod - Female 1/4" IPS
43381	72"	Fiberglass Rod - Female 1/4" IPS
43382	48"	Fiberglass Rod - Female 3/8" IPS
43383	72"	Fiberglass Rod - Female 3/8" IPS
43384		T-Handle 1/4" IPS
43385		T-Handle 3/8" IPS

BRUSH - UTILITY (CHIP & OIL)



- White Chinese bristle, metal ferrule. Plain sanded wood handle
 - Low priced economy import.

PART #	DIAMETER
4645	1/2"
4647	1"
4649	2"

DOPE BRUSH - WOOD HANDLE



- Select horsehair bristles secured tightly in metal ferrule. Round sanded wood handle
 -#7 Brushes sold 36 pieces per box

PART #	SIZE	LENGTH
4653	# 7 wood	5-13/16"

BRUSHES

ACID BRUSH - NATURAL BRISTLE



- Select horsehair bristles are pressed securely in tin handles.
- #1, #2, #4 Brushes sold 144 pieces per box

WIRE BRUSH - CURVED HANDLE



- 14" hardwood block filled with 3 Rows x 19
- Tufts of tempered steel bristles

PART #	SIZE	HANDLE MATERIAL	HANDLE LENGTH
4650	# 1	Metal	5-1/4"
4651	# 2	Metal	5-1/2"
4652	# 4	Metal	6-7/8"

PART #	DESCRIPTION
4480	Wire Brush - Curved Handle

BRUSH - UTILITY



- 3 x 7 rows, 1/2" trim.
- 7" long plastic block with 1-1/2" long brush end

WIRE BRUSH - SHOE HANDLE



- 10" hardwood block filled with 4 Rows x 17
- Tufts of tempered steel bristles

PART #	DESCRIPTION
5137	Steel bristles
5138	Brass bristles

PART #	DESCRIPTION
4482	Wire Brush - Shoe Handle

PIPE DOPE

PROSEAL PLUS TEFLON PASTE



- Approved for BLAZEMASTER
- PSI: 0 - 10,000psi
- Temperature range: -50°F to +500°F
- Colour: off white
- Shelf life: Infinite
- Material: Teflon filled, synthetic compound
- Resists:
 - Gasoline
 - Water
 - White Spirits
 - 1 Pound Gases
 - Kerosene
 - Gas
 - Steam
 - Air
 - Caustics
 - Fuel Oil
- Not suitable for use with oxygen
- Anti-seizing, chemically inert, non-hardening, non-corrosive, non drying
- Lubricates, protects and seals threads and fittings of:
 - Stainless Steel
 - Nickel
 - Synthetic Rubbers
 - Brass
 - Galvanized Iron
 - Monel
 - Aluminum
 - Alloys
 - Coppers
 - Plastics

PART #	DESCRIPTION	UNITS
506250PBT	250ml BT can	24
506500PBT	500ml BT can	12
506000P	1 litre can	12

PROBLUE THREAD COMPOUND



NONTOXIC



NUN-TOXIQUE

LYNCAR Products

ProBlue
Industrial



**PIPE THREAD
COMPOUND**

“For a Positive Leakproof Seal”
“Pour un joint sûr et ultra-étanche”



- ProBlue is a non teflon based pipe thread sealant that can be used on PVC, ABS & CPVC plastic pipe, and also metal pipe
- Lubricates during assembly! Non hardening
- ULC Approved

PART #	SIZE	UNITS
509250	250ml BT Can	24
509500	500ml BT Can	12
509100	1 litre Can	12

PROYELLOW THREAD SEALANT



LYNCAR Products

ProYellow
Industrial



Net Contents 250 ml

**THREAD SEALING
COMPOUND**

Soft Setting For Natural & LP Gases
Un Scellant Flexible pour les application
de Gaz Naturel et Propane



- Soft set yellow pipe joint compound for metal & plastic threads
- Gas approved by CSA, AGA. Air, steam, petroleum, gases and other chemicals

PART #	SIZE	UNITS
508250	250ml BT Can	24
508500	500ml BT Can	12

THREADING OIL



LYNCAR Products

ProThread
Industrial

**Pipe Threading Oil
Huile A Filage**

Better Quality Threads
& Longer Die Life



- LYNCAR'S pipe threading oil is NOT cutting oil
- It is formulated for threading pipe.
- Either hand threading or machine threading our formula will result in better quality threads and longer die life !

PART #	SIZE	UNITS
506011	1 litre Bottle	12
506010	4 litre Jug	4
506015	20 litre Pail	1

CHEMICALS & SHOP SUPPLIES

TEFLON TAPE - WHITE



- Superior quality, Teflon Tape

TEFLON TAPE - PINK



- Heavy Duty Tape
- Superior density & thickness

PART#	DESCRIPTION	CASE
506065	1/2" x 480	100
506034	3/4" x 520	70

PART#	DESCRIPTION	CASE
506070	1/2" x 520	250
506072	3/4" x 520	70

TEFLON TAPE - YELLOW GAS LINE



- 1/2" x 260" Yellow
- Heavy Duty Tape
- Superior Density & Thickness
- 100 Rolls-per-box
- CSA Approved
- Specifically designed to seal threads in natural gas, propane, butane, kerosene and petroleum oil lines
- For use on threads NOT exceeding 1-1/2"

ANAEROBIC TEFLON PASTE - LOW STRENGTH



- This is a special formula anaerobic teflon paste used mainly for fire sprinkler head installation
- It will easily dis-assemble after setting, for repositioning and adjusting of wall mount sprinkler heads
- Will not break CPVC reducers or crack pipe.

PART#	DESCRIPTION	CASE
506075	1/2" x 260	100

PART#	SIZE	CASE
501735	350ml BT Can	12
501775	750 BT Can	8

ANAEROBIC TEFLON PASTE - ALL PURPOSE



- This is a general purpose all use anaerobic teflon paste product
- Use in many different applications.
- Instant seal up to 100 psi, full cure up to 10,000 PSI
- No drip consistency, can be applied directly to hot and oily pipe threads.

CLEANING RAGS



- LYNCAR mixed cotton rags.
- Use in your shop, van

PART #	SIZE	CASE
501635	350ml BT Can	12
501675	750 BT Can	8

PART#	SIZE
608506	25 LB box
608507	10 LB box

CHEMICALS & SHOP SUPPLIES

LATEX DISPOSABLE GLOVES - INDUSTRIAL GRADE



- Premium Quality
- Excellent resistance to a variety of chemicals
- First rate elasticity and flexibility
- Good Touch Sensitivity Providing a Strong Grip
- 100 Per box, Sold by the box
- XL size

VINYL DISPOSABLE GLOVES - INDUSTRIAL GRADE



- Latex Free
- Tan Colour
- Made from Premium Quality Vinyl
- Excellent resistance to a variety of chemicals
- Stretches more than conventional vinyl gloves
- 100 Per box, Sold by the box

PART#	DESCRIPTION
950	Latex Disposable Gloves - Industrial Grade

PART#	DESCRIPTION
9552	Vinyl Disposable Gloves - Industrial Grade

LIGHT DUTY, NATURAL LATEX GLOVES - LINED



- 16 mil
- 100% cotton lined for added comfort
- Good strength for a longer lasting glove
- Excellent resistance to a variety of chemicals
- 12 pair per bag / 24 per carton

NITRILE GLOVES - UNLINED



- Latex Free
- Excellent resistance to abrasion, cuts, snags, punctures, aging and gas.
- High level of flexibility and easy finger movement
- 12 pair per bag

PART#	DESCRIPTION
9553	Light Duty, Natural Latex Gloves - Lined

PART#	DESCRIPTION
9554	Nitrile Gloves - unlined

CHEMICALS & SHOP SUPPLIES

DUST MASK - DISPOSABLE



- Cone Shaped Mask
- Elastic Strip
- 50 per box

NITRILE DISPOSABLE GLOVES



- Dark blue colour
- Premium medical quality
- Nitrile, 4mil thick
- 100/box, sold by the box

PART#	DESCRIPTION
EDM50	Dust Mask - Disposable

PART#	DESCRIPTION
9596	Nitrile gloves

SAFETY GLASSES



- Adjustable Temples
- Scratch resistant lens

SAFETY GOGGLES



- Meets ANSI and OSHA standards
- Soft vinyl frame with 184 perforations for maximum ventilation
- Distortion free
- Elastic headband fits comfortably over prescription glasses
- Clear colour

PART#	DESCRIPTION
9558	Safety Glasses

PART#	DESCRIPTION
9225	Safety Goggles

CHEMICALS & SHOP SUPPLIES

SHOE COVERS, DISPOSABLE



- Non-Woven Polypropylene Shoe Covers
- Textured Bottom for Skid Resistance
- Elastic on Top for Easier On/Off
- Extra Pliable Material for
- Greater Flexibility in Movement
- 100 Per Bag, Sold by the Bag

PART#	DESCRIPTION
9550	Shoe Covers, Disposable

COVER-ALL, DISPOSABLE



- Non-Woven Polypropylene with hood & Elastic wrist and legs bands.
- 25 Per Box, Sold by the Box

PART#	DESCRIPTION
9551	Cover-All, Disposable

EAR PLUGS - DISPOSABLE



- Cylindrical earplugs are made from a higher tech, brand new premium PVC foam
- It generates lower inner ear pressure.
- Military approved for its lack of moisture susceptibility
- Slower "recovery time" allows for deeper insertion and a more secure fit
- Plugs are uncorded.
- NRR 29 Noise Reduction Rating
- 200 pairs Per Box, Packaged in poly bags

PART#	DESCRIPTION
EAR100	Ear Plugs - Disposable

GLOVES

LATEX COATED KNITTED GLOVE



- Comfortable
- Excellent wet or dry grip
- 12 pair per bag

SPLIT LEATHER GLOVES



- # 1 Best Seller
- Grey Leather palm with 100% cotton back
- Reinforced finger tips and knuckle strap
- 2-1/2 safety cuff

PART#	DESCRIPTION
9555	Latex Coated Knitted Glove

PART#	DESCRIPTION
5232	Split Leather Gloves

COTTON GLOVES



- 8 oz. Canvas cotton glove
- Chute cut with knit wrist,
- Can be washed and reused

GLOVES - DRIVER'S



- Rich grain cowhide face and back with cotton shirring
- Large ONLY

PART#	DESCRIPTION
641	Cotton Gloves

PART#	DESCRIPTION
1213	Gloves - Driver's

GLOVES - PLASTIC DOT



- 8 oz. Cotton Glove
- Stronger grip with PVC Dots
- Glove breathability pulls sweat away from hands for comfort

KNIT ANTI-SLIP GRIP GLOVES



- Black dot coating on seamless cotton knit
- Standard weight
- Unique PVC coating processes provide sure gripping ability and excellent abrasion resistance for gloves that are comfortably pliable and reduce hand, arm and back fatigue.

PART#	DESCRIPTION
5501	Gloves - Plastic Dot

PART#	DESCRIPTION
640	Knit Anti-Slip Grip Gloves

COLD WEATHER GLOVES**LINED SPLIT LEATHER GLOVES**

- Lined with 3M "Thinsulate Lining"
- Grey Leather palm with 100% cotton back
- Reinforced finger tips and knuckle strap
- 2-1/2 safety cuff

PART#	DESCRIPTION
5233	Lined Split Leather Gloves

JERSEY GLOVE

- Knit wrist jersey in seal brown 9 oz. fabric
- Cold weather favourite!

PART#	DESCRIPTION
403	Jersey Glove

KNEE PADS & SUPPORT

KNEE PAD - HEAVY DUTY



- Super Lightweight comfort
- Single Adjustable 1-1/2" wide elastic strap
- Thick, soft inner lining
- Black Colour

PART#	DESCRIPTION
9223	Knee Pad - Heavy Duty

KNEE PAD - TRADESMAN



- Super Lightweight comfort
- Double Adjustable Straps
- Extra Foam Protection
- Thick, soft inner lining
- Black Colour

PART#	DESCRIPTION
9224	Knee Pad - Tradesman

KNEE PAD - BUILDERS



- Accordion top design helps secure the kneepad in position as you get up and down
- Straps are comfortable/easy to adjust
- Durable outer cover
- Upper strap eliminates debris from entering the top of the kneepad

PART#	DESCRIPTION
9220	Knee Pad - Builders

CHEMICALS & SHOP SUPPLIES

GAS LEAK DETECTOR - BY LYNCAR



Formulated to locate gas leaks in pipe lines, valves, pressure vessels, cylinders, tanks, etc. After applying leak detector directly from container to exterior surface, large bubbles will appear if there is gas escaping. May be used to find leaks of air, natural gas, refrigerants, CO2 and most other gases. This product is non-toxic, non-flammable and non-freezing to 10°F.

PROTOWEL - TOUGH WIPE



- A strong abrasive towel impregnated with hand cleaner
- Formulated to remove adhesives, sealants, spray paints, enamels, latex paint, grease tar, ink and much more.
- Can be used to clean hands, tools, equipment, desk tops, etc.
- Size: 10" x 12-1/2"
- 70 Count Rolls

PART#	DESCRIPTION
59082	1oz Bottle
59083	237 ml Dabber Top
59085	473ml Spray top

PART#	DESCRIPTION	CASE
59080	70 Wipes	6

EASE - ON COUPLING GREASE



- LYNCAR'S EASE-ON grease, for mechanical couplings. 908 gram tubs and 12 per case.
- NSF ANSI N5F61

STEM LUBE HEAT PROOF GREASE



- Specially formulated for use on all metal faucets and valve stems carrying air, steam, and hot or cold water
- Also lubricates ballcocks, plungers, packings and washers
- Can be used on potable water since it is safe and nontoxic

PART#	DESCRIPTION
506060	EASE - ON Coupling Grease

PART#	DESCRIPTION
3155	Stem Lube Heat Proof Grease

LUBRICATING OIL



- An all purpose oil for use on motors, bearings and wherever metal lubrication is desired.
- Contains rust and corrosion preventatives
- Not for use on internal combustion engines or extreme heat producing operations
- Packaged with a telescopic spout so oil can be applied in hard to reach places

PC4 AF (ASBESTOS FREE) COLD CAULKING COMPOUND CORD



- Asbestos-Free.
- Sulphate Resistant.
- Ready For Use - No Mixing
- Quick And Easy To Apply.
- Can Be Used In Damp Conditions.
- Provides An Immediate Seal.
- Withstands Pressures In Excess Of 6.9 N/Mm² (1000 Lbf/In²).
- Accommodates Vibration and limited expansion and deflection movement
- Resistant to biological degradation
- Cord Eliminates Wastage

PART#	DESCRIPTION
59084	4 oz. Bottle

PART#	DESCRIPTION
2895	2 m. Length
2896	3.125 kg. Tin

CHEMICALS & SHOP SUPPLIES

CANDLE WICKING



- Seals bonnet nuts
- Lubricates stems
- Random length

TEFLON PACKING



- A round cord formable and flexible gasketing material made from pure 100% P.T.F.E. It is used for valve stem packing and flange gasketing applications
- Highly conformable will not seize, has excellent chemical resistance and operates from temperatures -400° F to +600° F.
- Not intended for food contact applications.

PART#	DESCRIPTION
2872	Candle Wicking

PART#	SIZE
1886	3/32" x 10'
1887	5/32" x 10'

GRAPHITE PACKING



- 1/16" x 24" Length

OAKUM - CUT LENGTH



- Convenient, labour saving cut lengths
- Non-splitting
- Contains no tar
- Made to pack well, caulks tight
- Treated with a special compound so that it expands when wet
- Lead ladles, Lead pots, Joint runners and caulking tools are also available

PART#	DESCRIPTION
2290	Graphite Packing

PART#	DESCRIPTION
2899	1lb. Bag
2897	5lbs Box

SILICONE SEALANTS

SILICONE SEALANT



- LYNCAR'S 100% Silicone, and Kitchen and Bath comes in 300ml Tubes in white, clear, and grey. Stays flexible, won't crack or peel, 40 year expected lifetime
- Adheres to most surfaces.
- Kitchen & Bath features a watertight & mildew resistance.
- Siliconized is a lower cost product with a 25 year expected lifetime.
- All silicone products are in a 12 tube (300ml) display box.

SILICONE TUBE



- Super Soft
- Stainless
- Never Hardens
- White Colour

PART# SILICONE	PART# KITCHEN & BATH	PART# SILICONIZED	COLOUR	PART#	SIZE	CASE
39001	39301	39401	CLEAR	39222	162ml tube silicone	12/case
39002	39302	39402	WHITE			
39003	39303	39403	GREY			
	39304		ALMOND			

UNIVERSAL WATER SOLUBLE SOLDER FLUX



- LYNCAR'S "S-39" is a completely water soluble, flushable, self cleaning flux for soldering copper lines in plumbing.
- "S-39" is an acid free, lead free, liquid soldering flux, that is suitable on all types of tin solder (from 40/60 to lead free), copper, brass, polished chrome, steel, zinc, nickel, galvanized iron, silver, tin, lead and their alloys

MAGIC WRAP



- Emergency Repair Kit on a Roll
- 1" x 16' Roll
- Stretches to 3 Times Its Length
- Non Adhesive
- Soft Bonding
- Water & Air Tight
- Temperature Resistant

PART#	SIZE	CASE	PART#	DESCRIPTION
506057	80 ml	16	59054	Magic Wrap
506058	320 ml	12		

CEMENT

SWIFT SET CEMENT



- Cement patching compound
- Sets in minutes
- For concrete & masonry repairs
- For floors, precast & drain rework
- For repairs up to 2" thick
- Clean up tools with water

PART#	DESCRIPTION
2893	2 kg tub

PLUG TITE CEMENT




- Stops flow of water through breaks in concrete & masonry
- Works on basement walls, floor, pools etc.
- Fills cracks 3-5 minutes set-time
- Clean up tools with water

PART#	DESCRIPTION
2894	2kg tub

CHEMICALS & SHOP SUPPLIES

PVC CEMENT WET/DRY



- One stop cement
- Low VOC
- All weather
- Fast set time 20 seconds
- NSF61, NSF14 approved
- Meets ASTM D2564

PART#	DESCRIPTION	CASE
506059	237ml BT can	24

SOLDER FLUX PASTE



- Self cleaning
- Noncorrosive
- Lead free
- Use on Copper, Iron, Steel
- Not recommended for Aluminum

PART#	DESCRIPTION	CASE
59110	4oz jar	24

WATER SOLUBLE PASTE FLUX



- AQUA PRO 2000
- Water soluble flux
- Non fuming and lead free
- Meets ASTM B813

PART#	DESCRIPTION	CASE
59115	4oz	24

PLUMBER'S PUTTY



- Does not harden
- Cream colour

PART#	DESCRIPTION	CASE
59100	14oz	24
59105	5lb tub	6

CHEMICALS & SHOP SUPPLIES

BRUSH IN CAN



- LYNCAR offers the popular brush in can with either a metal OR plastic jug.
- Available in two sizes 500ml or 1 litre containers
- Our brush offers the "Click It" feature a natural bristle adjustable brush that is leak proof, and the handle adjusts in the cap.

PART#	DESCRIPTION
78810	Click It Brush w/ 500 ml Metal Can
78812	Click It Brush w/ 1 litre Plastic Can
78814	Click It Brush w/ 500 ml Plastic Can
4656	"Click It" Brush ONLY

LYNCAR DESCALER SOLUTION TANKLESS WATER HEATER CLEANER



- Cleaner for potable water systems
- Non corrosive
- Non toxic
- Biodegradable
- Zero VOC
- NSF approved
- Dissolves water scale, lime, rust and other deposits
- In tankless water heaters, also in ice machines, boilers, chillers, exchangers etc.

- DESCALER KIT
- 350 GPH pump
 - 2 pcs 60" rubber hoses
 - Bucket with lid

PART#	DESCRIPTION	CASE
15150	32oz (1 litre) plastic jug	12
15152	Descaler kit	1

TAPES

DUCT TAPE



- Contractor grade quality
- 48mm x 55m
- Each roll retail packaged
- 24 rolls per case

ELECTRICAL TAPE



- Contractor grade quality
- 3/4" x 60' Roll
- Each roll retail packaged
- 10 rolls per sleeve
- CSA

PART# DESCRIPTION

8518 Duct Tape

PART# DESCRIPTION

8520 Electrical Tape

ALUMINUM FOIL TAPE



- Contractor grade quality
- 48mm x 50m
- Each roll retail packaged
- 24 rolls per case

FILAMENT TAPE



- Fiberglass reinforced tape for general strapping and bundling applications.

PART# DESCRIPTION

8519 Aluminum Foil Tape

PART# DESCRIPTION

8510 12mm x 55m
8514 48mm x 55m

CHEMICALS & SHOP SUPPLIES

PIPE WRAP TAPE - PVC



The type printed on the actual tape as shown below.



- LYNCAR all Weather Pipe Protection Tape is a pure physical barrier that is moisture proof, inert and non-conducting. Whether the need is to protect overhead piping in industrial applications, exposed pipe anywhere, or direct burial piping. This tape gives a completely uniform coating all around.
- Tough PVC plastic tape with special high tack adhesives formulated to resist corrosion
- Easy to apply by hand with no special tools or equipment.
- Positive protection against abrasion and corrosive action for steel pipe, fittings and electrical conduit systems.
- Corrosion protection for metal piping systems above and below ground
- Corrosion protection for fittings and joints on mill coated pipe.
- Corrosion protection of electrical conduct and fittings
- Resists corrosive action by salt water, soil acids, alkalies and salts.
- Prevents dielectric corrosion between buried steel pipe and soil minerals.
- Resists the effects of outdoor weathering and sunlight exposure.
- High abrasion resistance.
- Highly conformable over a wide temperature range.
- Excellent insulating properties.
- Resists commonly encountered chemicals and chemical vapors.
- Protects against fungus and bacteria.

PART#	WIDTH	MILL	LENGTH	CASE
9051	1"	10	100'	48
9052	2"	10	100'	24
9054	4"	10	100'	12

GREEN BLASTER DRAIN OPENER



- Drain Opener
- Dry Granular Drain Opener for clearing Grease, Hair and Other Organic Matter from drains. Will not harm Chrome, Polished Brass or Plastic. Safe for Septic Tanks.
- 454 grams
- Product only available in English at this time

PART#	DESCRIPTION	CASE
59005	Professional strength	24

CHEMICALS & SHOP SUPPLIES

PLUMBER'S GLOOZIT



- Secure or resecure towel bars that are loose: apply to the threads of stripped screws.
- Patch leaks in plastic, copper, steel and cast iron pipes.
- Attach ceramic soap dishes to tile - no screws needed!
- Repair garden hoses.
- Repair leaks in gutter, down pipe and seams on eavestroughing.
- Cement plastic pipe together.
- Attach decorations to mirror, attach mirrors to any wall, whether tile, wood, cement or gyprock.
- 90 mil Tube

GLUE WASH HAND CLEANER



- "Glue-Wash" Solvent Cement Hand Cleaner Lotion is a nontoxic hand cleaner that safely removes ABS and PVC plastic solvent cements from skin.

PART#	DESCRIPTION	PART#	SIZE	CASE
1711	Plumber's Gloozit	506055	118 ml	24
		506056	473 mil	12

EPOXY PUTTY, STIK-IT



- STIK-IT EPOXY PUTTY is a hand kneadable fast curing epoxy putty that mixes in one minute to provide permanent repairs to many surfaces including metals, wood, glass, concrete, ceramics and numerous plastics
- One hour after mixing, STIK-IT EPOXY PUTTY can be drilled, sawed, sanded, filed, tapped, machined or painted
- It comes in a handy "tootsie roll" form with the curing agent encapsulated in the contrasting colour base material
- Its remodeling clay-like consistency eliminates drips and runs, provides "no mess" application with no tools required for use
- STIK-IT EPOXY PUTTY is a general purpose epoxy putty.

LYNCAR CITRUS HAND CLEANER



- LYNCAR Citrus HC contains the superior power of pure natural citrus oils
- Fresh citrus scent from real lemons, limes, and oranges is pleasant while cleaning up, yet it vanishes quickly and does not linger
- Contains no artificial fragrances and is readily biodegradable, non-toxic and petroleum solvent free.
- Natural Citrus Oils make LYNCAR Citrus HC a TOUGH, hard working hand cleaner that performs and hates grime, yet treats your hands with the care they deserve.
- Conditions your skin to help prevent drying and cracking

PART#	SIZE	PART#	SIZE	CASE
59070	2 oz.	59001	473ml	12
59075	4 oz.	59002	4 Litre	6

CHEMICALS & SHOP SUPPLIES

PIPE MARKERS (BALL TYPE)



- LYNCAR'S paint markers are ideal for writing notes, job # or other information on pipe
- The ball point is a marker that liquid flows on to the point after pressing the top bubble.
- Available in packs of 12
- Yellow & white stocked, other colours are available if requested.

PIPE MARKERS (FELT TIP)



- LYNCAR'S paint markers are ideal for writing notes, job # or other information on pipe
- The fiber point is a marker that liquid flows on to the fiber tip after marker is shaken
- Available in packs of 12 Yellow & white stocked, other colours are available if requested.

PART#	COLOUR	CARTON
608520W	White	12
608520Y	Yellow	12

PART#	COLOUR	CARTON
608522W	White	12
608522Y	Yellow	12

SOAPSTONE



- Temporary marking of welding & cutting lines
- Made of natural soapstone
- 144 pcs per box
- Flat 1/2" x 3/16" x 5"

PART#	DESCRIPTION
5190	Soapstone

CRAYON - WATERPROOF LUMBER



PART#	DESCRIPTION
5333	12 x Yellow
5334	12 x Red

PACKAGING & STORAGE PRODUCTS

BIN BOXES



Corrugated Bin Boxes, No Staples or tape needed. Heavy duty boxes made from corrugated fiberboard, use them many times.
Fits standard 12" and 18" shelving units for storage of all your plumbing parts.
Many sizes available, call if we don't list your required size.

PART#	DEPTH	SIZE	HEIGHT
BB212	12" deep	2"	4 1/2"
BB412	12" deep	4"	4 1/2"
BB812	12" deep	8"	4 1/2"
BB218	18" deep	2"	4 1/2"
BB418	18" deep	4"	4 1/2"
BB818	18" deep	8"	4 1/2"

BAG - ZIP LOCK PLASTIC



LYNCAR can supply you with a wide selection of plastic bags for your inventory or store.
All bags are zip lock bags with a hanging hole and are 4 mil thick for added strength.

PART#	WIDTH	LENGTH
BAG01	5"	8"
BAG04	4"	6"
BAG05	6"	9"
BAG21	4"	12"
BAG34	3"	4"
BAG35	3"	5"
BAG66	6"	6"
BAG69	6"	9"

TWINE - NYLON SEINE



275' of #18, 179 lb. test
For plumb line, seine line, fishing line, chalk line, mason line and lead line
To stop fraying when cut, apply flame to cut end (nylon melts)

PART#	DESCRIPTION
4115	Twine - Nylon Seine

ANTIFREEZE TESTER



LYNCAR'S antifreeze tester (refractometers) is high quality, impact resistant and comes in its own carrying case. Provides accurate direct reading in both fahrenheit and centigrade of glycol coolants.

PART#	DESCRIPTION
996055	Antifreeze Tester

CHEMICALS & SHOP SUPPLIES

LYNCAR PG 95/5 CONCENTRATE



LCPG 95/5 Concentrate is a Safe and Odorless Non-flammable premium heat transfer fluid with special corrosion inhibitors added. Contains 95% Propylene Glycol & 5% Corrosion inhibitors (Dipotassium Hydrogen Phosphate and Inert Ingredients)

Suitable for Hydronic Heating, and other process piping systems. Available in 4, 20 and 205 Litre containers.

ATTENTION

Not for use with aluminum, Galvanized or CPVC Piping systems.

PART#	SIZE
506032	4 Litre Jug
506031	20 Litre Pail
506030	205 Litre Drum

LYNCAR PG PURE CONCENTRATE



LCPG Pure Concentrate is a Safe and Odorless Non-flammable premium antifreeze fluid. Contains 100 % Propylene Glycol

- Suitable for Fire Sprinkler Systems.
- Conforms to the NFPA 13, 2007 edition
- Colourless
- Odorless

Available in 4, 20 and 205 Litre containers.

ATTENTION

Not for use with aluminum, Galvanized or CPVC Piping systems

PART#	SIZE
506004	4 Litre Jug
506020	20 Litre Pail
506025	205 Litre Drum